

CDF Checklist of Galapagos Reptiles

Gustavo Jiménez-Uzcátegui, Cruz Márquez, Howard L. Snell

Contribs.: Marco Altamirano, Paola Buitrón, Adalgisa Caccone, Linda Cayot, María de Lourdes Torres, Tom Fritz, Gabriel Gentile, James Gibbs, Alizon Llerena, Brian Milstead, Elizabeth Pillaert, Peter Pritchard, David A. Wiedenfeld, Martin Wikelski, Javier Zabala, Patricia Zárate.

22 Jun 2012

This checklist is automatically generated using Version 3.0 of the online database CDF Galapagos Species Checklist.

Reptiles are characterized by the inability to regulate their body temperature and by having pulmonary respiration. Reptiles typically have short, reduced, or no legs. Their reproduction is oviparous or ovoviviparous. Of the 51 species recorded in Galapagos, 38 are endemic and native. Five species are currently known to be extinct and one is extinct in the wild: The Pinta tortoise, *Geochelone abingdoni*, known as Lonesome George, is the last surviving individual and today lives in the tortoise corals of the Galapagos National Park on Santa Cruz Island.

For marine species distribution data cited in the CDF Galapagos Checklists refer to the five main bioregions of the archipelago (Far Northern, Northern, Western, South Eastern and the Elithabeth Bay Bioregion). For the terrestrial species the more than 120 islands, islets and small rocks have been aggregated into Islands Groups, thus, for example, the island group "Santa Cruz" includes smaller islands like Santa Fé, Plaza Norte, Plaza Sur, Baltra, Daphne Mayor, Daphne Minor, and others.

Please be aware that the distribution data presented here is automatically generated from specimen records and does not always accurately reflect the known distribution for all species.

IUCN red-list assessments presented here may deviate from the global IUCN list for the following reasons:

- for well known species groups like vascular plants or vertebrates updates proposed to the IUCN are shown instead of the outdated, but currently accepted status;
- for poorly known species groups (e.g., lichenized fungi) a general assessment is currently not possible and the list presented here is a regional red-list list for Galapagos archipelago.

Names of taxa included in this checklist: 53 (48 Accepted , 2 Unidentified Taxon , 2 New to Science), 1 rejected.

Origin of the taxa included: 4 Accidental, 4 Intercepted, 39 Endemic, 1 Hypothetical, 1 Indigenous, 2 Migrant, 2 Vagrant.

1. *Alsophis biserialis* (Günther, 1860)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Dromicus biserialis* Günther, 1860, *Herpetodryas biserialis* Günther, 1860

Origin: Native, Endemic.

IUCN Red List: Endangered.

Galapagos Distribution: Fernandina, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Garman, S. et al. (1892), Grehan, J. et al. (2001), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935).

2. *Amblyrhynchus cristatus* Bell, 1825

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Española, Fernandina, Floreana, Isabela, Marchena, San Cristóbal, Santa Cruz, Santa Fé, Santiago.

References: Bataille, A. et al. (2009), Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Garman, S. et al. (1892), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935), Trillmich, Fritz et al. (1992), Van Denburgh, J. et al. (1913), Wikelski, M. et al. (1999).

3. *Antillophis sleveni* Van Denburgh, 1912

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Dromicus sleveni* Van Denburgh, 1912

Origin: Native, Endemic.

IUCN Red List: Critically Endangered.

Galapagos Distribution: Fernandina, Pinzón, Santa Cruz.

References: Carrillo, E. et al. (2005), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935), Slevin, J.R. et al. (1935).

4. *Antillophis steindachneri* Van Denburgh, 1912

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Dromicus steindachneri* Van Denburgh, 1912

Origin: Native, Endemic.

IUCN Red List: Endangered.

Galapagos Distribution: Genovesa, Isabela, Santa Cruz.

References: Carrillo, E. et al. (2005), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935).

5. *Caretta caretta* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Hypothetical.

IUCN Red List: Endangered.

Galapagos Distribution: Unknown.

6. *Chelonia mydas* Linnaeus, 1758

Taxon status: Accepted name; taxon occurs in Galapagos.

There are two morphotypes in Galapagos: Black and Yellow turtle. Also, there are a discussion if this species is a subspecies *Chelonia mydas agassizii*.

Origin: Native, Indigenous.

IUCN Red List: Near Threatened.

Galapagos Distribution: Fernandina, Genovesa, Isabela, San Cristóbal, Santa Cruz, Santiago.

References: Carrillo, E. et al. (2005), Heller, E. et al. (1903), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935), Slevin, J.R. et al. (1935), Zarate, P. et al. (2002).

7. *Chelonoidis abingdoni* (Günther, 1877)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Geochelone abingdoni* (Günther, 1877), *Testudo abingdoni* Günther, 1877, *Chelonoidis nigra abingdoni* Günther, 1877, *Chelonoidis nigra duncanensis* Garman in Pritchard, 1996, *Geochelone elephantopus abingdoni* Harlan, 1827; Type specimen in BM; According to Márquez et al. (2004) and Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.

Origin: Native, Endemic.

IUCN Red List: Extinct in the Wild.

Galapagos Distribution: Pinta.

References: Caccone, A. et al. (2009), Caccone, A. et al. (1999), Carrillo, E. et al. (2005), Ernst, C.H. et al. (1989), Fritts, T.H. et al. (2001), Heller, E. et al. (1903), Hendrickson, J.D. et al. (1966), IUCN et al. (2010), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Pritchard, P.C.H. et al. (1996), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1914).

8. *Chelonoidis becki* (Rothschild, 1901)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Geochelone becki* (Rothschild, 1901), *Testudo becki* Rothschild, 1901, *Chelonoidis nigra becki* Rothschild, 1901, *Geochelone elephantopus becki* Harlan, 1827, *Chelonoides becki* Bour, 1980, *Chelonoides becki* Bour Fritts, 1983; Type specimen: Tring Museum, England; According to Márquez et al. (2004) and Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Isabela.

References: Caccone, A. et al. (2009), Caccone, A. et al. (1999), Carrillo, E. et al. (2005), Fritts, T.H. et al. (2001), Heller, E. et al. (1903), IUCN et al. (2010), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Pritchard, P.C.H. et al. (1996), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1914).

9. *Chelonoidis chathamensis* (Van Denburgh, 1914)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Geochelone chathamensis* (Van Denburgh, 1914), *Testudo chathamensis* Van Denburgh, 1907, *Chelonoidis nigra chathamensis* Van Denburgh, 1907, *Testudo elephantopus chathamensis* Mertens Wermuth, 1955, *Geochelone elephantopus chathamensis* Pritchard, 1967; Type specimen in CAS; According to Márquez et al. (2004) and Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Caccone, A. et al. (2009), Caccone, A. et al. (1999), Carrillo, E. et al. (2005), Fritts, T.H. et al. (2001), Hendrickson, J.D. et al. (1966), IUCN et al. (2010), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Pritchard, P.C.H. et al. (1996), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1907), Van Denburgh, J. et al. (1914).

10. *Chelonoidis darwini* (Van Denburgh, 1907)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Geochelone darwini* (Van Denburgh, 1907), *Testudo darwini* Van Denburgh, 1907, *Chelonoidis nigra darwini* Van Denburgh, 1907, *Testudo elephantopus darwini* Mertens and Wermuth, 1955, *Geochelone elephantopus darwini* Pritchard, 1967, *Chelonoidis darwini* Bour, 1980; Type specimen in CAS; According to Márquez et al. (2004) and Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.

Origin: Native, Endemic.

IUCN Red List: Endangered.

Galapagos Distribution: Santiago.

References: Caccone, A. et al. (2009), Caccone, A. et al. (1999), Carrillo, E. et al. (2005), Ernst, C.H. et al. (1989), Fritts, T.H. et al. (2001), IUCN et al. (2010), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Pritchard, P.C.H. et al. (1996), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1907), Van Denburgh, J. et al. (1914).

11. *Chelonoidis ephippium* (Günther, 1896)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Geochelone ephippium* (Günther, 1896), *Testudo ephippium* Günther, 1896; According to Márquez et al. (2004) and Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.

Origin: Native, Endemic.

IUCN Red List: Critically Endangered.

Galapagos Distribution: Pinzón, Santa Cruz.

References: Caccone, A. et al. (2009), Caccone, A. et al. (1999), Carrillo, E. et al. (2005), Ernst, C.H. et al. (1989), Fritts, T.H. et al. (2001), Heller, E. et al. (1903), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1914).

12. *Chelonoidis guntheri* (Baur, 1889)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Geochelone guntheri* (Baur, 1889), *Testudo guntheri* Baur, 1889, *Chelonoidis guntheri* Baur, 1889; Type specimen: Oxford Museum, England; According to Márquez et al. (2004) and Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.

Origin: Native, Endemic.

IUCN Red List: Critically Endangered.

Galapagos Distribution: Isabela.

References: Caccone, A. et al. (1999), Carrillo, E. et al. (2005), Ernst, C.H. et al. (1989), Fritts, T.H. et al. (2001), Heller, E. et al. (1903), IUCN et al. (2010), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1914).

13. *Chelonoidis hoodensis* (Van Denburgh, 1907)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Geochelone hoodensis* (Van Denburgh, 1907), *Testudo hoodensis* Van Denburgh, 1907, *Chelonoidis nigra hoodensis* Van Denburgh, 1907, *Testudo elephantopus hoodensis* Mertens Wermuth, 1955, *Geochelone elephantopus hoodensis* Pritchard 1967; Type specimen in CAS; According to Márquez et al. (2004) and Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.

Origin: Native, Endemic.

IUCN Red List: Endangered.

Galapagos Distribution: Española, Santa Cruz.

References: Caccone, A. et al. (2009), Caccone, A. et al. (1999), Carrillo, E. et al. (2005), Ernst, C.H. et al. (1989), Fritts, T.H. et al. (2001), IUCN et al. (2010), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Pritchard, P.C.H. et al. (1996), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1907), Van Denburgh, J. et al. (1914).

14. *Chelonoidis microphyes* (Günther, 1875)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Geochelone microphyes* (Günther, 1875), *Testudo microphyes* Günther, 1875, *Chelonoidis nigra microphyes* Günther, 1875; Type specimen in BM; According to Márquez et al. (2004) and Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.

Origin: Native, Endemic.

IUCN Red List: Endangered.

Galapagos Distribution: Isabela.

References: Caccone, A. et al. (2009), Caccone, A. et al. (1999), Carrillo, E. et al. (2005), Ernst, C.H. et al. (1989), Fritts, T.H. et al. (2001), Heller, E. et al. (1903), IUCN et al. (2010), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Russello M.A. et al. (2005), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1914).

15. *Chelonoidis nigra* Quoy Gaimard, 1824

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Geochelone elephantopus* (Harlan, 1827), *Testudo nigra* Quoy Gaimard, 1824, *Testudo galapagoensis* Baur, 1889, *Testudo elephantopus galapagoensis* Mertens Wermuth, 1955, *Chelonoidis galapagoensis* Bour, 1980, *Geochelone nigra nigra* Quoy Gaimard, 1824, *Geochelone galapagoensis* Márquez, 2004; According to Márquez et al. (2004) and Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.

Origin: Native, Endemic.

IUCN Red List: Extinct.

Galapagos Distribution: Floreana, Isabela, Pinzón, Santa Cruz, Santa Fé.

References: Caccone, A. et al. (2009), Ernst, C.H. et al. (1989), Fritts, T.H. et al. (2001), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Pritchard, P.C.H. et al. (1996), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935), Steadman, D. et al. (1991), Van Denburgh, J. et al. (1914).

16. *Chelonoidis nigrita* (Duméril Bibron, 1835)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Geochelone nigrita* (Duméril Bibron, 1835), *Testudo porteri* Rothschild, 1903, *Chelonoidis nigra porteri* Rothschild, 1903, *Geochelone porteri*; According to Márquez et al. (2004) and Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Santa Cruz.

References: Caccone, A. et al. (2009), Caccone, A. et al. (1999), Carrillo, E. et al. (2005), Cruz, F. et al. (2005), Ernst, C.H. et al. (1989), Fritts, T.H. et al. (2001), Heller, E. et al. (1903), IUCN et al. (2010), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Russello M.A. et al. (2005), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1914).

17. *Chelonoidis phantastica* (Van Denburgh, 1914)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Geochelone phantastica* (Van Denburgh, 1914), *Testudo phantasticus* Van Denburgh, 1907, *Testudo phantastica* Van Denburgh, 1914, *Testudo elephantopus phantastica* Mertens Wermuth, 1955, *Geochelone elephantopus phantastica* Pritchard, 1967, *Chelonoidis phantastica* Bour, 1980; Type specimen in CAS; According to Márquez et al. (2004) and Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.

Origin: Native, Endemic.

IUCN Red List: Extinct.

Galapagos Distribution: Fernandina.

References: Caccone, A. et al. (2009), Ernst, C.H. et al. (1989), Fritts, T.H. et al. (2001), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Pritchard, P.C.H. et al. (1996), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935), Steadman, D. et al. (1991), Van Denburgh, J. et al. (1907), Van Denburgh, J. et al. (1914).

18. *Chelonoidis* sp. 1

Taxon status: Taxon not identified to species, subspecies, form or variety.

Syn.: *Geochelone* sp. 1, *Geochelone nigra* spp.

Origin: Native, Endemic.

IUCN Red List: Extinct.

Galapagos Distribution: Santa Fé.

References: Fritts, T.H. et al. (2001), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Pritchard, P.C.H. et al. (1996), Russello M.A. et al. (2010), Steadman, D. et al. (1991).

19. *Chelonoidis vandenburghi* (De Sola, 1930)

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Geochelone vandenburghi* (De Sola, 1930), *Testudo vandenburghi* De Sola, 1930, *Chelonoidis nigra vandenburghi* De Sola, 1930; According to Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Isabela.

References: Caccone, A. et al. (2009), Caccone, A. et al. (1999), Carrillo, E. et al. (2005), Ernst, C.H. et al. (1989), Fritts, T.H. et al. (2001), IUCN et al. (2010), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935).

20. *Chelonoidis vicina* (Günther, 1875)
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Geochelone vicina* (Günther, 1875), *Testudo vicina* Günther, 1875, *Testudo guntheri* Baur 1889, *Chelonoidis nigra vicina* Günther, 1875; Type specimen in BM; According to Poulakakis et al. (2008) the *Geochelone* taxa from Galapagos are genetically distinct and therefore treated as species and not as subspecies of *Geochelone nigra*.
Origin: Native, Endemic.
IUCN Red List: Endangered.
Galapagos Distribution: Isabela.
References: Caccone, A. et al. (2009), Caccone, A. et al. (1999), Carrillo, E. et al. (2005), Ernst, C.H. et al. (1989), Fritts, T.H. et al. (2001), Heller, E. et al. (1903), IUCN et al. (2010), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Márquez, C. et al. (2004), Poulakakis, N. et al. (2008), Pritchard, P.C.H. et al. (1996), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1914).
21. *Chelonoidis wallacei* Rothschild, 1902
Taxon status: Accepted name; taxon occurs in Galapagos.
 Syn.: *Geochelone wallacei* Rothschild, 1902, *Testudo wallacei*, Rothschild, 1902
Origin: Native, Endemic.
IUCN Red List: Extinct.
Galapagos Distribution: Santiago.
References: Ernst, C.H. et al. (1989), Heller, E. et al. (1903), Jiménez-Uzcátegui, G. et al. (2007), Le, M. et al. (2006), Pritchard, P.C.H. et al. (1996), Russello M.A. et al. (2010), Slevin, J.R. et al. (1935), Steadman, D. et al. (1991).
22. *Conolophus marthae* Gentile H.L. Snell, 2009
Taxon status: Accepted name; taxon occurs in Galapagos.
 Bef. name: *Conolophus subcristatus* Gray, 1831
Origin: Native, Endemic.
IUCN Red List: Critically Endangered.
Galapagos Distribution: Isabela, Santa Cruz.
References: Gentile, G. et al. (2009), Gentile, G. et al. (2009).
23. *Conolophus pallidus* Heller, 1903
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
Galapagos Distribution: Santa Fé.
References: Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Garman, S. et al. (1892), Heller, E. et al. (1903), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1913).
24. *Conolophus subcristatus* Gray, 1831
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
Galapagos Distribution: Fernandina, Isabela, Santa Cruz, Santa Fé.
References: Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Heller, E. et al. (1903), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1913).
25. *Dermochelys coriacea* Vandelli, 1761
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Vagrant.
IUCN Red List: Critically Endangered.
Galapagos Distribution: Unknown.
References: Zarate, P. et al. (2002).
26. *Eretmochelys imbricata* Eschscholtz, 1829
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Migrant.
IUCN Red List: Critically Endangered.

- Galapagos Distribution:** Unknown.
References: Zarate, P. et al. (2002).
27. *Eumeces inexpectatus* Taylor, 1932
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Intercepted.
Galapagos Distribution: Santa Cruz.
References: Jiménez-Uzcátegui, G. et al. (2007).
28. *Gonatodes caudiscutatus* Günther, 1859
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: San Cristóbal, Santa Cruz.
References: Jiménez-Uzcátegui, G. et al. (2007), Olmedo, L.J. et al. (1994), Olmedo, L.J. et al. (1994), Van Denburgh, J. et al. (1912), Vanzolini, P.E. et al. (1965).
29. *Iguana iguana* Linnaeus, 1758
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Intercepted.
Galapagos Distribution: Isabela, San Cristóbal, Santa Cruz.
References: Jiménez-Uzcátegui, G. et al. (2007).
30. *Lepidochelys olivacea* Linnaeus, 1766
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Native, Vagrant.
IUCN Red List: Vulnerable.
Galapagos Distribution: Santa Cruz.
References: Zarate, P. et al. (2002).
31. *Lepidodactylus lugubris* Duméril Bibron, 1836
Taxon status: Accepted name; taxon occurs in Galapagos.
Origin: Introduced, Accidental.
Galapagos Distribution: Isabela, Marchena, San Cristóbal, Santa Cruz.
References: Carrillo, E. et al. (2005), Jiménez-Uzcátegui, G. et al. (2007), Olmedo, L.J. et al. (1994), Olmedo, L.J. et al. (1994), Wright, J. et al. (1983).
32. *Microlophus albemarlensis* Baur, 1890
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Tropidurus albemarlensis* Baur, 1890
Origin: Native, Endemic.
IUCN Red List: Near Threatened.
Galapagos Distribution: Española, Fernandina, Floreana, Isabela, San Cristóbal, Santa Cruz, Santiago.
References: Benavides, E. et al. (2009), Benavides, E. et al. (2007), Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Couch, L. et al. (1996), Garman, S. et al. (1892), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1913), Wright, J.W. et al. (1984).
33. *Microlophus bivittatus* Peters, 1871
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Tropidurus bivittatus* Peters, 1871
Origin: Native, Endemic.
IUCN Red List: Vulnerable.
Galapagos Distribution: San Cristóbal.
References: Benavides, E. et al. (2009), Benavides, E. et al. (2007), Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Couch, L. et al. (1996), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1913), Wright, J.W. et al. (1984).
34. *Microlophus delanonis* Baur, 1890
Taxon status: Accepted name; taxon occurs in Galapagos.
Syn.: *Tropidurus delanonis* Baur, 1890
Origin: Native, Endemic.

IUCN Red List: Near Threatened.

Galapagos Distribution: Española.

References: Aquino-Shuster, A.L. et al. (1990), Benavides, E. et al. (2009), Benavides, E. et al. (2007), Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Couch, L. et al. (1996), Jiménez-Uzcátegui, G. et al. (2007), Van Denburgh, J. et al. (1913), Wright, J.W. et al. (1984).

35. *Microlophus duncanensis* Baur, 1890

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Tropidurus duncanensis* Baur, 1890

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Pinzón.

References: Benavides, E. et al. (2009), Benavides, E. et al. (2007), Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Garman, S. et al. (1892), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1913), Wright, J.W. et al. (1984).

36. *Microlophus grayii* Bell, 1843

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Tropidurus grayii* Bell, 1843

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Floreana.

References: Benavides, E. et al. (2009), Benavides, E. et al. (2007), Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Garman, S. et al. (1892), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1913), Wright, J.W. et al. (1984).

37. *Microlophus habelii* Steindachner, 1876

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Tropidurus habelii* Steindachner, 1876

Origin: Native, Endemic.

IUCN Red List: Near Threatened.

Galapagos Distribution: Marchena.

References: Benavides, E. et al. (2009), Benavides, E. et al. (2007), Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Garman, S. et al. (1892), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1913), Wright, J.W. et al. (1984).

38. *Microlophus indefatigabilis* ined.

Taxon status: Unpublished name (Nomen nudum).

Unpublished name for a genetically different subpopulation of *Microlophus albemarlensis* Baur, 1890.

Origin: Native, Endemic.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Santa Cruz, Santa Fé.

References: Benavides, E. et al. (2009), Benavides, E. et al. (2007).

39. *Microlophus jacobi* ined.

Taxon status: Unpublished name (Nomen nudum).

Unpublished name for a genetically different subpopulation of *Microlophus albemarlensis* Baur, 1890.

Origin: Native, Endemic.

IUCN Red List: Not Evaluated.

Galapagos Distribution: Santiago.

References: Benavides, E. et al. (2009), Benavides, E. et al. (2007).

40. *Microlophus pacificus* Steindachner, 1876

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Tropidurus pacificus* Steindachner, 1876

Origin: Native, Endemic.

IUCN Red List: Near Threatened.

Galapagos Distribution: Pinta.

References: Benavides, E. et al. (2009), Benavides, E. et al. (2007), Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Garman, S. et al. (1892), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1913), Wright, J.W. et al. (1984).

41. *Pelamis platurus* Linnaeus, 1766

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Migrant.

Galapagos Distribution: Genovesa, San Cristóbal, Santa Cruz, Santiago.

42. *Philodryas hoodensis* Van Denburgh, 1912

Taxon status: Accepted name; taxon occurs in Galapagos.

Syn.: *Dromicus hoodensis* Van Denburgh, 1912

Origin: Native, Endemic.

IUCN Red List: Vulnerable.

Galapagos Distribution: Española.

References: Carrillo, E. et al. (2005), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935).

43. *Phyllodactylus barringtonensis* Van Denburgh, 1912

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Near Threatened.

Galapagos Distribution: Unknown.

References: Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Garman, S. et al. (1892), Jiménez-Uzcátegui, G. et al. (2007), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1912), Wright, J.W. et al. (1984).

44. *Phyllodactylus baurii* Swash Still, 2000

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Near Threatened.

Galapagos Distribution: Floreana, Santa Cruz.

References: Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Garman, S. et al. (1892), Heller, E. et al. (1903), Jiménez-Uzcátegui, G. et al. (2007), Olmedo, L.J. et al. (1994), Olmedo, L.J. et al. (1994), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1912).

45. *Phyllodactylus darwini* Taylor, 1942

Taxon status: Accepted name; taxon occurs in Galapagos.

Two specimens collected by Slevin in 1888 from San Cristobal had a mistake identification with *P. tuberculosis*.

Origin: Native, Endemic.

IUCN Red List: Near Threatened.

Galapagos Distribution: San Cristóbal.

References: Carrillo, E. et al. (2005), Garman, S. et al. (1892), Heller, E. et al. (1903), Jiménez-Uzcátegui, G. et al. (2007), Jiménez-Uzcátegui, G. et al. (2007), Olmedo, L.J. et al. (1994), Olmedo, L.J. et al. (1994), Slevin, J.R. et al. (1935), Taylor, E.H. et al. (1942), Van Denburgh, J. et al. (1907).

46. *Phyllodactylus galapagoensis* Peters, 1879

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Near Threatened.

Galapagos Distribution: Floreana, Isabela, Pinzón, Santa Cruz, Santa Fé.

References: Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Garman, S. et al. (1892), Heller, E. et al. (1903), Jiménez-Uzcátegui, G. et al. (2007), Olmedo, L.J. et al. (1994), Olmedo, L.J. et al. (1994), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1912).

47. *Phyllodactylus gilberti* Heller, 1903

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Near Threatened.

Galapagos Distribution: Wolf.

References: Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Heller, E. et al. (1903), Jiménez-Uzcátegui, G. et al. (2007), Lanteri, A.A. et al. (2001), Slevin, J.R. et al. (1935), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1912).

48. *Phyllodactylus leei* Cope, 1889

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Native, Endemic.

IUCN Red List: Near Threatened.

Galapagos Distribution: San Cristóbal.

References: Bisconti, M. et al. (2001), Carrillo, E. et al. (2005), Garman, S. et al. (1892), Heller, E. et al. (1903), Jiménez-Uzcátegui, G. et al. (2007), Olmedo, L.J. et al. (1994), Olmedo, L.J. et al. (1994), Slevin, J.R. et al. (1935), Van Denburgh, J. et al. (1912).

49. *Phyllodactylus reissi* Peters, 1862

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Accidental.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Carrillo, E. et al. (2005), Garman, S. et al. (1892), Jiménez-Uzcátegui, G. et al. (2007), Olmedo, L.J. et al. (1994), Olmedo, L.J. et al. (1994), Slevin, J.R. et al. (1935).

50. *Phyllodactylus sp. 1*

Taxon status: Taxon not identified to species, subspecies, form or variety.

Origin: Native, Endemic.

IUCN Red List: Extinct.

Galapagos Distribution: Fernandina, Isabela, Marchena, San Cristóbal, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007), Steadman, D. et al. (1991).

51. *Podocnemis unifilis* Troschel, 1848

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Intercepted.

IUCN Red List: Vulnerable.

Galapagos Distribution: San Cristóbal.

References: Jiménez-Uzcátegui, G. et al. (2007).

52. *Trachemys scripta* Schoepff, 1792

Taxon status: Accepted name; taxon occurs in Galapagos.

Origin: Introduced, Intercepted.

IUCN Red List: Least Concern.

Galapagos Distribution: San Cristóbal, Santa Cruz.

References: Jiménez-Uzcátegui, G. et al. (2007).

Rejected Taxa:

1. *Phyllodactylus tuberculosus* Wiegmann, 1835

Two specimens collected from San Cristobal in 1888 by J.R. Slevin (see Van Denburgh, 1912), and it had a mistake in the identification (see Taylor 1942). Also, J. Olmedo collected on the same Island a juvenile specimen (?) in 1992, but it was a bad identification (Olmedo's thesis did't present this record).

References:

1. Aquino-Shuster, A.L., Duszynski, D.W. Snell, H.L. (1990) *Three new Coccidia (Apicomplexa) from the Hood Island Lizard, Tropidurus delanonis, from the Galapagos Archipelago*. Journal Parasitol., 76(3): 313-318.

2. Bataille, A., Cunningham, A.A., Cedeño, V., Patiño, L., Constantinou, A., Kramer, L.D. Goodman, S.J. (2009) *Natural colonization and adaptation of a mosquito species in Galápagos and its implications for disease threats to endemic wildlife*. Proceedings of the National Academy of Sciences of the United States of America 106(25): 10230-10235.
3. Benavides, E., Baum, R., MCClellan, D. Sites, J.W .Jr. (2007) *Molecular phylogenetics of the Lizard genus Microlophus (Squamata: Tropidurinae): Aligning and retrieving indel signal from nuclear introns*. Syst. Biol. 56(5):776–797. ISSN: 1063-5157 print / 1076-836X online
DOI: 10.1080/10635150701618527
4. Benavides, E., Baum, R., Snell, H.M., Snell, H.L. Sites, J.W. Jr. (2009) *Island biogeography of Galapagos Lava Lizards (Tropiduridae: Microlophus): Species diversity and colonization of the Archipelago*. Evolution 63-6: 1606–1626.
5. Bisconti, M., Landini, W., Bianucci, G., Cantalamessa, G., Carnevale, G. Ragaini, L. Valleri, G. (2001) *Biogeographic relationships of the Galapagos terrestrial biota: parsimony analyses of endemism based on reptiles, land birds and Scalesia land plants*. J. Biogeogr. 28: 495-510.
6. Caccone, A., Gibbs, J.P., Ketmaier, V., Suatoni, E. and Powell, J.R. (1999) *Origin and Evolutionary Relationships of Giant Galapagos Tortoises*. Proc. Natl. Acad. Sci. United States of America (PNAS) 96(23): 13223-13228.
7. Caccone, A., Powell, J. (2009) *Giant Tortoises. Mapping their Genetic Past and Future*. In: T. De Roy (ed.): *Galápagos. Preserving Darwin's Legacy*. Bateman, Albany, New Zealand, p. 98-105.
8. Carrillo, E., Aldás, S., Altamirano, M.A., Ayala-Varela, F., Cisneros-Heredia, D.F., Endara, A., Márquez, C., Morales, M., Nogales-Sornosa, F., Salvador, P., Torres, M.L., Valencia, J., Villamarín-Jurado, F., Yáñez (2005) *Lista Roja de los Reptiles del Ecuador*. Fundación Novum Milenium, UICN-Sur, UICN-Comité Ecuatoriano, Ministerio de Educación y Cultura, Serie Proyecto PEEPE. Quito, 46 pp.
9. Carrillo, E., Aldás, S., Altamirano, M.A., Ayala-Varela, F., Cisneros-Heredia, D.F., Endara, A., Márquez, C., Morales, M., Nogales-Sornosa, F., Salvador, P., Torres, M.L., Valencia, J., Villamarín-Jurado, F., Yáñez (2005) *Lista Roja de los Reptiles del Ecuador*. Fundación Novum Milenium, UICN-Sur, UICN-Comité Ecuatoriano, Ministerio de Educación y Cultura, Serie Proyecto PEEPE. Quito, 46 pp.
10. Carrillo, E., Aldás, S., Altamirano, M.A., Ayala-Varela, F., Cisneros-Heredia, D.F., Endara, A., Márquez, C., Morales, M., Nogales-Sornosa, F., Salvador, P., Torres, M.L., Valencia, J., Villamarín-Jurado, F., Yáñez (2005) *Lista Roja de los Reptiles del Ecuador*. Fundación Novum Milenium, UICN-Sur, UICN-Comité Ecuatoriano, Ministerio de Educación y Cultura, Serie Proyecto PEEPE. Quito, 46 pp.
11. Carrillo, E., Aldás, S., Altamirano, M.A., Ayala-Varela, F., Cisneros-Heredia, D.F., Endara, A., Márquez, C., Morales, M., Nogales-Sornosa, F., Salvador, P., Torres, M.L., Valencia, J., Villamarín-Jurado, F., Yáñez (2005) *Lista Roja de los Reptiles del Ecuador*. Fundación Novum Milenium, UICN-Sur, UICN-Comité Ecuatoriano, Ministerio de Educación y Cultura, Serie Proyecto PEEPE. Quito, 46 pp.
12. Carrillo, E., Aldás, S., Altamirano, M.A., Ayala-Varela, F., Cisneros-Heredia, D.F., Endara, A., Márquez, C., Morales, M., Nogales-Sornosa, F., Salvador, P., Torres, M.L., Valencia, J., Villamarín-Jurado, F., Yáñez (2005) *Lista Roja de los Reptiles del Ecuador*. Fundación Novum Milenium, UICN-Sur, UICN-Comité Ecuatoriano, Ministerio de Educación y Cultura, Serie Proyecto PEEPE. Quito, 46 pp.
13. Carrillo, E., Aldás, S., Altamirano, M.A., Ayala-Varela, F., Cisneros-Heredia, D.F., Endara, A., Márquez, C., Morales, M., Nogales-Sornosa, F., Salvador, P., Torres, M.L., Valencia, J., Villamarín-Jurado, F., Yáñez (2005) *Lista Roja de los Reptiles del Ecuador*. Fundación Novum Milenium, UICN-Sur, UICN-Comité Ecuatoriano, Ministerio de Educación y Cultura, Serie Proyecto PEEPE. Quito, 46 pp.
14. Carrillo, E., Aldás, S., Altamirano, M.A., Ayala-Varela, F., Cisneros-Heredia, D.F., Endara, A., Márquez, C., Morales, M., Nogales-Sornosa, F., Salvador, P., Torres, M.L., Valencia, J., Villamarín-Jurado, F., Yáñez (2005) *Lista Roja de los Reptiles del Ecuador*. Fundación Novum Milenium, UICN-Sur, UICN-Comité Ecuatoriano, Ministerio de Educación y Cultura, Serie Proyecto PEEPE. Quito, 46 pp.
15. Carrillo, E., Aldás, S., Altamirano, M.A., Ayala-Varela, F., Cisneros-Heredia, D.F., Endara, A., Márquez, C., Morales, M., Nogales-Sornosa, F., Salvador, P., Torres, M.L., Valencia, J., Villamarín-Jurado, F., Yáñez (2005) *Lista Roja de los Reptiles del Ecuador*. Fundación Novum Milenium, UICN-Sur, UICN-Comité

41. Carrillo, E., Aldás, S., Altamirano, M.A., Ayala-Varela, F., Cisneros-Heredia, D.F., Endara, A., Márquez, C., Morales, M., Nogales-Sornosa, F., Salvador, P., Torres, M.L., Valencia, J., Villamarín-Jurado, F., Yánez (2005) *Lista Roja de los Reptiles del Ecuador*. Fundación Novum Milenium, UICN-Sur, UICN-Comité Ecuatoriano, Ministerio de Educación y Cultura, Serie Proyecto PEEPE. Quito, 46 pp.
42. Couch, L., Stone, P.A., Duszynski, D.W. Snell, H.L. Snell, H.M. (1996) *A survey of the coccidian parasites of reptiles from islands of the Galapagos Archipelago: 1990-1994*. Journal of Parasitology 82(3): 432-437.
43. Cruz, F., Donlan, C.J., Campbell, K., Lavoie, C. V. Carrión (2005) *Conservation action in the Galapagos: feral pig *Sus scrofa* eradication from Santiago Island* Biol. Conserv. 121: 473-478.
44. Ernst, C.H., Barbour, R.W. (1989) *Turtles of the world*. Smithsonian Instit. Press. USA 313 pp.
45. Fritts, T.H. (2001) *A brief review of the taxonomic history of Galapagos Tortoise relevant to consideration of the most appropriate generic and specific name for Giant Tortoises in Galapagos*. U.S. Geological survey Report, 7 pp.
46. Garman, S. (1892) *The reptiles of the Galapagos Islands. From the collections of Dr. George Baur*. Bulletin Essex Inst. 24: 73-87.
47. Gentile, G., Fabiani, A., Marquez, C., Snell, H.L., Snell, H.M., Tapia, W. Sbordoni, V. (2009) *An overlooked pink species of land iguana in the Galápagos*. Proceedings of the National Academy of Sciences, 106, 507–511.
48. Gentile, G., Snell, H. (2009) *Conolophus marthae sp. nov. (Squamata, Iguanidae), a new species of land iguana from the Galápagos archipelago*. Zootaxa 2201: 1-10.
49. Grehan, J. (2001) *Biogeography and evolution of the Galapagos: integration of the biological and geological evidence*. Biological Journal of the Linnean Society 74: 267-287.
50. Heller, E. (1903) *Reptiles. In Papers from the Hopkins Stanford Galapagos Expedition 1898-1899*. Proceedings of the Washington Academy Sciences 5: 39-98.
51. Hendrickson, J.D. (1966) *In Bowman R.I. (ed.) The Galapagos Proceedings of the symposia of the Galápagos international Scientific project*. Fundación Charles Darwin No. 13.
52. IUCN (2010) *IUCN Red list of threatened species. Version 2010.1*. www.iucnredlist.org
53. Jiménez-Uzcátegui, G., Milstead, B., Márquez, C., Zabala, J., Buitrón, P., Llerena, A., et al. (2007) *Galapagos vertebrates: endangered status and conservation actions*. Galapagos Report 2006–2007. Charles Darwin Foundation, Puerto Ayora, p. 104–110.
54. Jiménez-Uzcátegui, G. (2007) *CS/ECU/2006/168 Estudio biológico en Santa rosa y en El Camote, Isla Santa Cruz y en Isla Baltra, previo a la colocacion del Parque Eolico*. Informe técnico final para la Fundación Charles Darwin y Servicio Parque Nacional Galápagos, 43 pp.
55. Jiménez-Uzcátegui, G., Carrión, V., Zabala, J., Buitrón, P. Milstead, B. (2007) *Status of introduced vertebrates in Galapagos*. Galapagos Report 2006–2007. Charles Darwin Foundation, Puerto Ayora, p. 136–141.
56. Lanteri, A.A. (2001) *Biogeografía de las Islas Galápagos: Principales aportes de los estudios filogenéticos*. Introducción a la Biogeografía en Latinoamérica: Conceptos, teorías, métodos y aplicaciones. Vol. I, Ciencias, UNAM, México Pp. 141-151.
57. Le, M., Raxworthy, C.J., McCord, W.P. Mertz, L. (2006) *A molecular phylogeny of tortoises (Testudines: Testudinidae) based on mitochondrial and nuclear genes*. Molecular Phylogenetics and Evolution 40(2006): 517–531.
58. Márquez, C., Wiedenfeld, D.A., Snell, H.L., Fritts, T., MacFarland, C., Tapia, W., Naranjo, S. (2004) *Population status of Giant Land Tortoises (*Geochelone spp.*, *Chelonya: Testudinae*) from the Galapagos Islands*. Ecología Aplicada 3(1-2): 98-111.
59. Olmedo, L.J., Cayot, L.J. (1994) *Introduced geckos in the towns of Santa Cruz, San Cristobal and Isabela*. Noticias de Galapagos 53: 7-12.

60. Olmedo, L.J. (1994) *Salamanquesas endémicas e introducidas en las islas pobladas de Galápagos*. Tesis de grado previa a la obtención del título de Biología. Facultad de Filosofía Letras y Ciencias de la Educación. Universidad Central del Ecuador. Quito, Ecuador, 110 pp.
61. Poulakakis, N., Glaberman, S., Russello, M., Beheregaray, L.B., Ciofi, C., Powell, J.R. Caccone, A. (2008) *Historical DNA analysis reveals living descendants of an extinct species of Galápagos tortoise*. Proc. Natl. Acad. Sci. (PNAS) 105(49): 15464-15469.
62. Pritchard, P.C.H. (1996) *The Galapagos tortoises: Nomenclatural and survival status*. Chelonian research monographs No. 1. Chelonian Research Foundation.
63. Russello M.A., Glaberman, S., Gibbs, J.P., Márquez, C., Powell, J.R. Caccone, A. (2005) *A cryptic taxon of Galápagos tortoise in conservation perfil*. Biology letters 1: 287-290.
64. Russello M.A., Poulakakis, N., Gibbs, J.P., Tapia, W., Benavides, E., Powell, J.R., Caccone, A. (2010) *DNA from the Past Informs Ex Situ Conservation for the Future: An 'Extinct' Species of Galápagos Tortoise Identified in Captivity*. PLoS ONE 5(1): e8683. doi:10.1371/journal.pone.0008683
65. Slevin, J.R. (1935) *An account of the reptiles inhabiting the Galápagos Islands*. Bulletin New York Zoological Society 38(1): 3-23.
66. Slevin, J.R. (1935) *An account of the reptiles inhabiting the Galapagos Islands*. Bulletin New York Zoological Society 1(38): 3-24.
67. Steadman, D., Stafford, T.W. , Donahue, D.J. A.J.T. Jull. (1991) *Chronology of Holocene vertebrate extinction in the Galápagos Islands*. Quaternary research 36: 126-133.
68. Taylor, E.H. (1942) Univ. Kansas Sci. Bull. 28: 104.
69. Trillmich, Fritz (1992) *Conservation problems on Galápagos: the showcase of evolution in danger* Naturwissenschaften 79: 1-6
70. Van Denburgh, J. (1907) *Preliminary descriptions of four new races of gigantic land tortoises from the Galapagos Islands. Expedition of the California Academy of Sciences to the Galápagos Islands, 1905-1906*. Proceedings of the California Academy of Sciences 1: 1-6.
71. Van Denburgh, J. (1912) *The geckos of the Galapagos Archipelago. Expedition of the California Academy Sciences to the Galapagos Island 1905-1906*. Proceedings of the California Academy Sciences, fourth series 1: 405-430.
72. Van Denburgh, J., Slevin, J.R. (1913) *The Galapagoan lizards of the genus Tropidurus, with notes on the iguanas of the genera Conolophus and Amblyrhynchus*. Proceedings of the California Academy of Sciences 2(1): 133-202, pls. 8-11.
73. Van Denburgh, J. (1914) *The gigantic land tortoises of the Galápagos archipelago*. Proc. Calif. Acad. Sci. 2, part 1: 203-374, pls. 12-124.
74. Vanzolini, P.E. (1965) *On the gonatodes of the Galapagos Islands (Sauria, Gekkonidae)*. Papéis Avulsos de Zoologia 17(2): 17-19
75. Wikelski, M. (1999) *Influences of parasites and thermoregulation on grouping tendencies in marine iguanas*. Behavioral Ecology 10(1): 22-29.
76. Wright, J. (1983) *The distribution and status of Gonatodes collares in Galapagos Archipelago*. Herpetological review 14(1):32
77. Wright, J.W. (1984) *The origen and evolution of the lizards of the Galapagos Islands*. Terra (March-April): 21-27.
78. Zarate, P., Dutton, P. (2002) *Tortuga verde Reserva marina de Galápagos. Línea base de la biodiversidad*. Danulat, E. G.J. Edgar (eds.). Fundación Charles Darwin/Servicio Parque Nacional Galápagos, Santa Cruz, Galápagos, Ecuador. pp 305-323.